

RETRACTABLE
PERGOLAS
"L" SERIE



PALMIYE
Four Seasons Outdoor Living Areas

RETRACTABLE
PERGOLAS

"L" SERIE

*A Special
Place For You*

















































The suspension system integrated with products made in circular form.
































Home Motion by

somfy®

MOTOR SYSTEM



Telis 1 RTS



Telis 4 RTS




Telis 16

Remote Controls


A low-angle, upward-looking photograph of a wooden spool. The spool is made of light-colored wood with visible grain and is positioned diagonally from the bottom left towards the center. White fabric is draped over the spool, creating large, flowing, circular loops that fill the upper two-thirds of the frame. The background is a bright blue sky with scattered white clouds. The word "FABRIC" is centered in the middle of the image in a white, sans-serif font.

FABRIC



SIOEN

PVC-based blackout fabric of 850g / sqm is used as a ceiling cover in Loca Motor Pergola System. The fabric, having a tensile strength of 2500 N / 50mm, provides thermal insulation by blocking 100% the sun thanks to its special three-tier structure



FERRARI




Soltis W96: Soltis W96, which is a roof covering series, is cutting the sunlight by 96% and keeps your interior locations cool, and in the meantime it will also make you benefit from the light of day thanks to its waterproof perforated structure.

Soltis 92: Soltis 92 series allows you a shading without blocking your view thanks to its micro-perforated structure, and it will ensure your location stay cool by absorbing the 97% of the sunrays.

SATTLER

thinking highTEX



Izo –Tech: Izo – Tech, which is beyond the familiar ceiling coatings with its thickness of 3,2 mm, provides high thermal and sound insulation during four seasons within the moving ceiling covering.



Acrylic Fabric: The outdoor acrylic fabrics used in our byproducts, provide partial shading by making advantage of the daylight.



Dimensional Stability



U.V. Resistant



No Pocket or Bubbles



Flame Resistant



5 Years Guarantee



Thermal Comfort



Tear Resistant




LIGHTING SYSTEMS

Palmiye "L" Serie Motor Pergola Systems provides solution in your locations with the LED luminaries, which it offers optionally. The remote control dimmer system completes your comfort.




TECHNICAL INFORMATION




PALMIYE "L" SERIE	
A	16 cm
B	11 cm
C	15 cm
D	16 cm
E	10 cm
F	16 cm

h_f - Front Height
 h_b - Back Height
 A - Between Front Pillars
 B - Between Back Pillars




SEALING DETAIL

A special rubber seal that is attached to the rail profile, preventing against rainwater entering the product.




ROOFING

The Palmiye "L" Serie Roofing System is easy to install due to its innovative modular system.



RAIN & WIND TIGHT

The product is sealed against rain & wind from every side and direction.



6 WHEELED CAR

This innovative 6 wheeled car silently, swiftly and in a well balanced manner carries the canvas up and down the rail.




SIDE BEAM

A side beam can be easily installed or removed by the integrated assembly system.




DECORATIVE CEILING COVER

With a separate wavy layer of fabric a warm and cosy atmosphere can be created under the pergola.



HIDDEN WATER DRAINAGE

All rainwater is collected by the gutter and guided out by a drainpipe hidden within the front pillar.



LED SPOT LIGHTING

Control our LED spot lights directly from the remote control or dimmer system.




3-LAYERED CEILING COVER

The ceiling cover is a 3-layered blackout PVC membrane that blocks 100% of all UV rays.



INTEGRATED ASSEMBLY DETAILS

Integrated within the profiles are assembly details, that give the product an extra touch of design and simplifies each installation.




HIDDEN LED

Control our LED spot lights directly from the remote control or dimmer system.



PALMIYE GUARANTEE

All our products have up to 5 years guarantee.



LOCOMOTIVE PROFILE

The locomotive fabric profile is strengthened by its inner reinforcements.




RAIL PROFILE

The Rail Profile is designe with special engineered form of construction.




FAVORITE SETTING

In our standard motor system, one can save his favorite setting of the canvas or Palmiye "L" Serie Store with just pressing one button.




GLASS SYSTEMS

Different enclosing solutions can be applied directly to the profiles.



STAINLESS FOOT

The stainless foot with its hidden installation details, discharges water coming from the carrier column.



WOOD LOOK


The aluminum construction can be coated with a special Wood-Look transfer print.

APPLICATION TYPES




STANDING SYSTEM INCLINED

"L" SERIE
Width 1300 cm
Projection 1000 cm
Rail Aks 450 cm



STANDING SYSTEM INCLINED

"L" SERIE
Width 1300 cm
Projection 1000 cm
Rail Aks 450 cm



BRACKET SYSTEM INCLINED

"L" SERIE
Width 450 cm
Projection 400 cm
Rail Aks 450 cm




HANGING SYSTEM INCLINED

"L" SERIE
Width 1300 cm
Projection 600 cm
Rail Aks 450 cm




STANDING SYSTEM ROUNDED

"L" SERIE
Width 1300 cm
Projection 750 cm
Rail Aks 400 cm




STANDING SYSTEM ROUNDED

"L" SERIE
Width 1300 cm
Projection 750 cm
Rail Aks 400 cm



BRACKET SYSTEM ROUNDED

"L" SERIE
Width 400 cm
Projection 400 cm
Rail Aks 400 cm




HANGING SYSTEM ROUNDED

"L" SERIE
Width 1300 cm
Projection 600 cm
Rail Aks 400 cm




STANDING SYSTEM FLAT

"L" SERIE
Width 900 cm
Projection 1000 cm
Rail Aks 450 cm




STANDING SYSTEM FLAT

"L" SERIE
Width 900 cm
Projection 1000 cm
Rail Aks 450 cm



BRACKET SYSTEM FLAT


"L" SERIE
Width 450 cm
Projection 400 cm
Rail Aks 450 cm



HANGING SYSTEM FLAT


"L" SERIE
Width 900 cm
Projection 600 cm
Rail Aks 450 cm

TWIN STANDING SYSTEM INCLINED



"L" SERIE
Width 1300 cm
Projection 2000 cm
Rail Aks 450 cm

TWIN BRACKET SYSTEM INCLINED




"L" SERIE
Width 450 cm
Projection 800 cm
Rail Aks 450 cm

TWIN HANGING SYSTEM INCLINED




"L" SERIE
Width 1300 cm
Projection 1200 cm
Rail Aks 450 cm

TWIN STANDING SYSTEM ROUNDED S.M.




"L" SERIE
S.M.
Width 1300 cm
Projection 750 cm
Rail Aks 350 cm

TWIN STANDING SYSTEM ROUNDED D.M.




"L" SERIE
S.M.
Width 1300 cm
Projection 1500 cm
Rail Aks 400 cm

TWIN STANDING SYSTEM ROUNDED



"L" SERIE
S.M.
Width 1300 cm
Projection 1000 cm
Rail Aks 400 cm

TWIN BRACKET SYSTEM ROUNDED




"L" SERIE
Width 400 cm
Projection 800 cm
Rail Aks 400 cm

TWIN STANDING SYSTEM FLAT




"L" SERIE
Width 900 cm
Projection 2000 cm
Rail Aks 450 cm

TWIN BRACKET SYSTEM FLAT




"L" SERIE
Width 450 cm
Projection 800 cm
Rail Aks 450 cm

TWIN HANGING SYSTEM FLAT



"L" SERIE
Width 900 cm
Projection 1200 cm
Rail Aks 450 cm

TWIN HANGING SYSTEM ROUNDED



"L" SERIE
Width 1300 cm
Projection 1200 cm
Rail Aks 400 cm





*A Special
Place For You*



www.palmiye.eu



PALMIYE
Four Seasons Outdoor Living Areas