



SLIDING GLASS SYSTEM S











living spaces in balconies, gardens, offices and cafes.


This stylish glass system's specially designed drainage details catch even the smallest of raindrops and guide out again.






Make your life easier.

With embedded in the floor option, it is now so easy to pass with a wheelchair or for the parents with a baby carriage.



Embedded in the floor with F profile



Without threshold with ramp profile



Enrich your system with various options

New sliding system can offer a maximum system height of 300cm, an elegant circular door handle and standard locks made of stainless steel are included in the system. If desired, vertical door handles and locks with keys can be provided optionally.





10


Technical Features

Panel Configuration	
Profiles	
Bottom Profile	
Side & Top Profile	
Panel Frame Profile	1
Handles & Locks	
Material Information	
Options	2


12

Panel Configuration


3 Railed Sliding System S




4 Railed Sliding System S




5 Railed Sliding System S



6 Railed Sliding System S



Profiles



A Bottom Profile

Standard (With threshold)
Without threshold with ramp profile
Embedded in the floor without threshold with F profile

B Side & Top Profile


Standar Single

C Panel Frame Profile


Connector Frame Standard Panel Fram High Panel Frame

A Bottom Profile


3 Railed Sliding System S




4 Railed Sliding System S




5 Railed Sliding System S




6 Railed Sliding System S






Standard



With Ramp Profile





Embedded in the floor with F profile


16


B Side & Top Profile

Standard











Single



If standard side & top profile is not desired, single side profile can be used alternatively.

C Panel Frame Profile







Standard frame is used up to 260 cm system height, high frame is used between 260 cm to 300 cm system height.

Handles & Locks



Circular handle is included in the system as standard, if desired, linear handle option can be choosen. In HTP Lock option, the glass system can be opened and closed internally and externally with the use of a key.




The standard lock is located at the bottom of the glass panel and can be opened and closed manually.

Standard Lock



HTP Lock



Standard Circular Handle



Linear Handle




Material Information


All sliding glass systems include 10 mm tempered glass. Standard glass colour is transparent.

Aluminium profiles are suitable for all electrostatic powder coatings in desired colours. Palmiye's standard colors can be seen below;


MATT (%30 GLOSSY)




SEMI GLOSSY (%70 GLOSSY)



METALLIC



TEXTURED



METALLIC TEXTURED



Optional

Apart from the standard transparent color, blue, green, smoked and satin color options can also be selected for glass panels.

Glass Colours





