



WINTER GARDEN

PRICE LIST / 2025

MADE FOR OUTDOOR LIFE



MADE FOR OUTDOOR LIFE


INDEX

02

WINTER GARDEN INCLINED

06

WINTER GARDEN FLAT



WIND RESISTANCE

PROJECTION	WIDTH (cm)													
	200	250	300	350	400	450	500	550	600	650	700	750	800	
	150	11	11	11	11	11	11	11	11	11	11	11	11	
	175	11	11	11	11	11	11	11	11	11	11	11	11	
	200	11	11	11	11	11	11	11	11	11	11	10	10	
	225	11	11	11	11	10	11	11	11	11	11	10	10	10
	250	11	11	11	10	10	11	11	11	11	10	10	10	9
	275	11	11	10	10	10	11	11	11	10	10	10	9	9
	300	11	10	10	10	10	11	11	10	10	10	9	9	9
	325	11	10	10	10	9	11	11	10	10	9	9	8	8
	350	11	10	10	9	9	11	11	10	10	9	8	8	8
	375	11	10	9	9	9	11	11	10	9	8	8	8	8
	400	11	10	9	9	9	11	11	9	9	8	8	8	8

*The values are given according to the Beaufort scale.
**Calculated for Products with a front height of 240 cm according to Eurocode EN 1991-1-4 Terrain Category 4.
*** You can ask for new calculations for special designs.

REQUIRED WATER DRAINAGE

PROJECTION	WIDTH (cm)													
	200	250	300	350	400	450	500	550	600	650	700	750	800	
	150	1	1	1	1	1	1	1	1	1	1	1	1	
	175	1	1	1	1	1	1	1	1	1	1	1	1	
	200	1	1	1	1	1	1	1	1	1	1	1	1	
	225	1	1	1	1	1	1	1	1	1	1	1	1	
	250	1	1	1	1	1	1	1	1	1	1	1	2	
	275	1	1	1	1	1	1	1	1	1	1	2	2	
	300	1	1	1	1	1	1	1	1	1	2	2	2	
	325	1	1	1	1	1	1	1	1	2	2	2	2	
	350	1	1	1	1	1	1	1	2	2	2	2	2	
	375	1	1	1	1	1	1	2	2	2	2	2	2	
	400	1	1	1	1	1	1	2	2	2	2	2	2	


Each 20m² roof area should be equipped with minimum one water outlet.

SNOW LOAD

WINTER GARDEN INCLINED														
		125 kg/m2 Snow Load												
		Width												
		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000
		Min. Number of Mid. Beams												
Projection		1	1	2	2	3	3	4	4	5	5	5	6	6
Max Distance between beams 115 cm	1500													
	1750													
	2000													
		3	3	3	3	4	4	5	5	6	6	7	7	8
Max Distance between beams 95 cm	2250											R.G	R.G	R.G
	2500											R.G	R.G	R.G
	2750											R.G	R.G	R.G
	3000											R.G	R.G	R.G
		3	3	3	4	5	5	6	7	7	8	9	9	10
Max Distance between beams 75 cm	3250				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G
	3500				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G
	3750				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G
	4000				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G
		2 Pillars					3 Pillars							

- Standard Beam
- Rainforced Beam
- R.G Rainforced Gutter

The values are calculated for the units with a front height of 240cm and without side closures.



The number of middle beams is calculated by excluding the top beams located at the right and left ends.

PROJECTION	WIDTH (cm)													SB
	200	250	300	350	400	450	500	550	600	650	700	750	800	Side Beam
150	€ 2.726	€ 3.000	€ 3.262	€ 3.533	€ 3.731	€ 4.162	€ 4.437	€ 4.713	€ 4.934	€ 5.456	€ 5.563	€ 6.031	€ 6.138	€ 144
175	€ 2.837	€ 3.131	€ 3.422	€ 3.712	€ 3.973	€ 4.422	€ 4.721	€ 5.014	€ 5.285	€ 5.825	€ 5.949	€ 6.443	€ 6.568	€ 154
200	€ 2.948	€ 3.263	€ 3.582	€ 3.891	€ 4.216	€ 4.682	€ 5.005	€ 5.315	€ 5.637	€ 6.194	€ 6.336	€ 6.855	€ 6.997	€ 173
225	€ 3.612	€ 3.939	€ 4.103	€ 4.427	€ 4.770	€ 5.253	€ 5.606	€ 5.934	€ 6.273	€ 6.848	€ 7.446	€ 7.803	€ 8.154	€ 185
250	€ 3.764	€ 4.108	€ 4.287	€ 4.629	€ 4.982	€ 5.483	€ 5.911	€ 6.257	€ 6.615	€ 7.207	€ 7.845	€ 8.220	€ 8.577	€ 201
275	€ 4.545	€ 4.908	€ 5.102	€ 5.461	€ 6.010	€ 6.529	€ 7.052	€ 7.415	€ 7.882	€ 8.492	€ 9.250	€ 9.643	€ 10.170	€ 216
300	€ 4.624	€ 5.004	€ 5.216	€ 5.592	€ 6.160	€ 6.696	€ 7.263	€ 7.643	€ 8.207	€ 8.835	€ 9.612	€ 10.022	€ 10.584	€ 231
325	€ 5.177	€ 5.574	€ 5.804	€ 6.700	€ 7.333	€ 7.935	€ 8.556	€ 9.343	€ 9.580	€ 10.722	€ 11.355	€ 11.782	€ 12.413	€ 247
350	€ 5.336	€ 5.752	€ 5.998	€ 6.893	€ 7.595	€ 8.214	€ 8.855	€ 9.708	€ 9.962	€ 11.099	€ 11.785	€ 12.230	€ 12.883	€ 260
375	€ 5.516	€ 5.949	€ 6.213	€ 7.193	€ 7.815	€ 8.452	€ 9.172	€ 10.037	€ 10.309	€ 11.500	€ 12.180	€ 12.643	€ 13.361	€ 278
400	€ 5.595	€ 6.045	€ 6.327	€ 7.326	€ 8.069	€ 8.723	€ 9.462	€ 10.364	€ 10.653	€ 11.877	€ 12.614	€ 13.094	€ 13.831	€ 294
	2 Pillars					3 Pillars								


NOTES:

- 1. Standard glass roof panels are made of 10 mm tempered glass.
- 2. Prices in the table are for wall mounted units. For freestanding units, a steel back stand should be built.
- 3. Hidden anchorage is used for pillar ends and included in the price.
- 4. Palmiye Aluminium Coating Catalogue includes the standard colours with no extra cost. For any other type/brand/coulor of paint, price difference and additional delivery duration shall be checked from your customer representative.

Glass Options	Price difference/m2
12mm Tempered Glass	€ 36
5+5mm Tempered Glass	€ 95
6+6mm Tempered Glass	€ 119
6mm DC Temp+16+4+4 Tempered insulated glass	€ 155
5+5 Laminated Tempered Glass	€ 66

Lighting Price Calculation	
Lighting Panel	€676/pcs
Remote Control Situo 1 RTS Standard	€ 102/pcs
Remote Control Situo 5 RTS Standard	€ 164/pcs
Remote Control Telis 16 RTS Standard	€ 491/pcs
Lighting Module (Per every top beam)	€ 82/module

The lightning option price is calculated as;
Lightning panel + remote control + desired quantity of modules.



WIND RESISTANCE

PROJECTION	WIDTH (cm)													
	200	250	300	350	400	450	500	550	600	650	700	750	800	
	125	11	11	11	11	11	11	11	11	11	11	11	11	
	150	11	11	11	11	11	11	11	11	11	11	11	11	
	175	11	11	11	11	11	11	11	11	11	11	11	11	
	200	11	11	11	11	11	11	11	11	11	11	11	11	
	225	11	11	11	11	11	11	11	11	11	11	10	10	
	250	11	11	11	11	10	11	11	11	11	11	10	10	10
	275	11	11	11	10	10	11	11	11	11	10	10	10	10
	300	11	11	10	10	10	11	11	11	10	10	10	10	9
	325	11	11	10	10	10	11	11	11	10	10	10	9	9
	350	11	10	10	10	9	11	11	10	10	10	9	9	9
	375	11	10	10	9	9	11	11	10	10	9	9	9	9
	400	11	10	10	9	9	11	11	10	9	9	9	9	9

*The values are given according to the Beaufort scale.
**Calculated for Products with a front height of 350 cm according to Eurocode EN 1991-1-4 Terrain Category 4.
*** You can ask for new calculations for special designs.

REQUIRED WATER DRAINAGE

PROJECTION	WIDTH (cm)													
	200	250	300	350	400	450	500	550	600	650	700	750	800	
	125	1	1	1	1	1	1	1	1	1	1	1	1	
	150	1	1	1	1	1	1	1	1	1	1	1	1	
	175	1	1	1	1	1	1	1	1	1	1	1	1	
	200	1	1	1	1	1	1	1	1	1	1	1	1	
	225	1	1	1	1	1	1	1	1	1	1	1	1	
	250	1	1	1	1	1	1	1	1	1	1	1	2	
	275	1	1	1	1	1	1	1	1	1	1	2	2	
	300	1	1	1	1	1	1	1	1	1	2	2	2	
	325	1	1	1	1	1	1	1	1	2	2	2	2	
	350	1	1	1	1	1	1	1	2	2	2	2	2	
	375	1	1	1	1	1	1	2	2	2	2	2	2	
	400	1	1	1	1	1	2	2	2	2	2	2	2	


Each 20m² roof area should be equipped with minimum one water outlet.

SNOW LOAD

SNOW LOAD		WINTER GARDEN FLAT													
		250 kg/m2 Snow Load													
		Width													
		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	
		Min. Number of Mid. Beams													
Projection		1	1	2	2	3	3	4	4	5	5	5	6	6	
Max Distance between beams 115 cm	1250														
	1500														
	1750														
		3	3	3	3	4	4	5	5	6	6	7	7	8	
Max Distance between beams 95 cm	2000														
	2250											R.G	R.G	R.G	
	2500											R.G	R.G	R.G	
		3	3	3	4	5	5	6	7	7	8	9	9	10	
Max Distance between beams 75 cm	2750											R.G	R.G	R.G	
	3000											R.G	R.G	R.G	
	3250				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	
		3	4	4	5	6	5	8	9	9	10	11	12	13	
Max Distance between beams 60 cm	3500				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	
	3750				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	
	4000				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	
		4 Pillars							6 Pillars						

- Standard Beam
- Reinforced Beam
- Reinforced and Steel Support
- R.G Reinforced Gutter

The values are calculated for the units with a height of 350cm and without side closures.



The number of middle beams is calculated by excluding the top beams located at the right and left ends.

WINTER GARDEN FLAT

WIDTH (cm)														BP1-AP	BP2-AP
PROJECTION	200	250	300	350	400	450	500	550	600	650	700	750	800	Covering	Wall Bracket
125	5.184 €	5.686 €	6.189 €	6.967 €	7.148 €	9.008 €	9.016 €	9.435 €	9.855 €	10.284 €	10.714 €	11.764 €	11.858 €	€ 53	€ 162
150	5.320 €	5.840 €	6.360 €	7.156 €	7.367 €	9.219 €	9.350 €	9.827 €	10.304 €	10.751 €	11.198 €	12.159 €	12.271 €	€ 53	€ 162
175	5.457 €	5.994 €	6.532 €	7.345 €	7.587 €	9.429 €	9.685 €	10.219 €	10.753 €	11.217 €	11.682 €	12.555 €	12.684 €	€ 53	€ 162
200	5.680 €	6.235 €	6.790 €	7.614 €	7.900 €	9.753 €	10.039 €	10.591 €	11.142 €	11.694 €	12.246 €	13.070 €	13.356 €	€ 53	€ 162
225	6.553 €	7.169 €	7.784 €	8.632 €	9.102 €	10.979 €	11.456 €	12.114 €	12.773 €	13.615 €	14.450 €	15.291 €	15.820 €	€ 53	€ 162
250	7.161 €	7.887 €	8.613 €	9.477 €	9.899 €	11.801 €	12.295 €	13.018 €	13.740 €	14.599 €	15.478 €	16.344 €	16.877 €	€ 53	€ 162
275	7.304 €	8.041 €	8.778 €	10.066 €	10.697 €	12.609 €	13.034 €	13.791 €	14.548 €	15.750 €	16.845 €	17.722 €	18.399 €	€ 53	€ 162
300	7.381 €	8.152 €	8.923 €	10.259 €	10.903 €	12.833 €	13.488 €	14.266 €	15.044 €	16.376 €	17.489 €	18.383 €	19.091 €	€ 53	€ 162
325	7.763 €	8.508 €	9.254 €	10.820 €	11.535 €	13.495 €	14.214 €	15.033 €	15.851 €	17.267 €	17.986 €	18.891 €	19.730 €	€ 53	€ 216
350	9.971 €	10.926 €	11.882 €	13.867 €	15.054 €	16.090 €	19.004 €	20.066 €	21.128 €	22.933 €	24.028 €	25.906 €	27.015 €	€ 53	€ 216
375	10.100 €	11.157 €	12.213 €	14.334 €	15.367 €	16.592 €	19.451 €	20.541 €	21.630 €	23.546 €	24.658 €	26.567 €	27.693 €	€ 53	€ 216
400	10.210 €	11.294 €	12.377 €	14.523 €	15.779 €	16.810 €	20.018 €	21.131 €	22.245 €	24.178 €	25.395 €	27.335 €	28.564 €	€ 53	€ 216
	4 Pillars								6 Pillars						
BP1-AW	€ 53	€ 53	€ 53	€ 53	€ 53	€ 53	€ 53	€ 53	€ 53	€ 53	€ 53	€ 53	€ 53		
BP2-BW	€ 108	€ 108	€ 162	€ 162	€ 162	€ 216	€ 216	€ 216	€ 216	€ 216	€ 216	€ 216	€ 216		

Glass Options	Price difference/m2
12mm Tempered Glass	€ 36
5+5mm Tempered Glass	€ 95
6+6mm Tempered Glass	€ 119
6mm DC Temp+16+4+4 Tempered insulated glass	€ 155
5+5 Laminated Tempered Glass	€ 66

NOTES:

1. Standard glass roof panels are made of 10 mm tempered glass.
2. Prices in the table are for freestanding units.

Lighting Price Calculation	
Lighting Panel	€676/pcs
Remote Control Situo 1 RTS Standard	€ 102/pcs
Remote Control Situo 5 RTS Standard	€ 164/pcs
Remote Control Telis 16 RTS Standard	€ 491/pcs
Lighting Module (Per every top beam)	€ 82/module

*The lighting option price is calculated as ;
Lighting panel + remote control + desired quantity of modules.

OPTIONS

BP5-B	Extra Pillar (150x150x3 mm - Al)	€ 391	set
BP14-P1	Hidden Anchorage set (with drainage)	€ 109	set
BP14-P2	Hidden Anchorage set (without drainage)	€ 56	set

NOTES:

1. For wall installations, 3 cm must be added to the projection size.
2. For ceiling installations, 16 cm must be added to the projection size.
3. Palmiye Aluminium Coating Catalogue includes the standard colours with no extra cost. For any other type/brand/color of paint, price difference and additional delivery duration shall be checked from your customer representative.
4. For wall installed products, a wall bracket is required in every 150cm.



palmiyeglobal.com