



# WINTER GARDEN

PRICE LIST / 2026 v2

MADE FOR OUTDOOR LIFE





# MADE FOR OUTDOOR LIFE

## INDEX


02

WINTER GARDEN INCLINED

06

WINTER GARDEN FLAT

## WINTER GARDEN INCLINED



# WIND RESISTANCE

PROJECTION	WIDTH (cm)												
	200	250	300	350	400	450	500	550	600	650	700	750	800
150	11	11	11	11	11	11	11	11	11	11	11	11	11
175	11	11	11	11	11	11	11	11	11	11	11	11	11
200	11	11	11	11	11	11	11	11	11	11	10	10	10
225	11	11	11	11	10	11	11	11	11	11	10	10	10
250	11	11	11	10	10	11	11	11	11	10	10	10	9
275	11	11	10	10	10	11	11	11	10	10	10	9	9
300	11	10	10	10	10	11	11	10	10	10	9	9	9
325	11	10	10	10	9	11	11	10	10	9	9	8	8
350	11	10	10	9	9	11	11	10	10	9	8	8	8
375	11	10	9	9	9	11	11	10	9	8	8	8	8
400	11	10	9	9	9	11	11	9	9	8	8	8	8

\*The values are given according to the Beaufort scale.  
 \*\*Calculated for Products with a front height of 240 cm according to Eurocode EN 1991-1-4 Terrain Category 4.  
 \*\*\* You can ask for new calculations for special designs.

# REQUIRED WATER DRAINAGE

PROJECTION	WIDTH (cm)												
	200	250	300	350	400	450	500	550	600	650	700	750	800
150	1	1	1	1	1	1	1	1	1	1	1	1	1
175	1	1	1	1	1	1	1	1	1	1	1	1	1
200	1	1	1	1	1	1	1	1	1	1	1	1	1
225	1	1	1	1	1	1	1	1	1	1	1	1	1
250	1	1	1	1	1	1	1	1	1	1	1	1	2
275	1	1	1	1	1	1	1	1	1	1	1	2	2
300	1	1	1	1	1	1	1	1	1	1	2	2	2
325	1	1	1	1	1	1	1	1	1	2	2	2	2
350	1	1	1	1	1	1	1	2	2	2	2	2	2
375	1	1	1	1	1	1	2	2	2	2	2	2	2
400	1	1	1	1	1	2	2	2	2	2	2	2	2

Each 20m² roof area should be equipped with minimum one water outlet.

# SNOW LOAD


## WINTER GARDEN INCLINED

125 kg/m2 Snow Load

		Width												
		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000
		Min. Number of Mid. Beams												
Projection		1	1	2	2	3	3	4	4	5	5	5	6	6
Max Distance between beams 115 cm	1500													
	1750													
	2000													
		3	3	3	3	4	4	5	5	6	6	7	7	8
Max Distance between beams 95 cm	2250											R.G	R.G	R.G
	2500											R.G	R.G	R.G
	2750											R.G	R.G	R.G
	3000											R.G	R.G	R.G
		3	3	3	4	5	5	6	7	7	8	9	9	10
Max Distance between beams 75 cm	3250				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G
	3500				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G
	3750				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G
	4000				R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G	R.G
		2 Pillars					3 Pillars							

- Standard Beam
- Rainforced Beam
- R.G Rainforced Gutter

The values are calculated for the units with a front height of 240cm and without side closures.



The number of middle beams is calculated by excluding the top beams located at the right and left ends.

## WINTER GARDEN INCLINED

PROJECTION	WIDTH (cm)													SB
	200	250	300	350	400	450	500	550	600	650	700	750	800	Side Beam
150	€ 3.195	€ 3.516	€ 3.823	€ 4.141	€ 4.373	€ 4.878	€ 5.201	€ 5.523	€ 5.783	€ 6.395	€ 6.520	€ 7.069	€ 7.194	€ 148
175	€ 3.325	€ 3.670	€ 4.011	€ 4.351	€ 4.657	€ 5.182	€ 5.533	€ 5.877	€ 6.195	€ 6.827	€ 6.973	€ 7.552	€ 7.697	€ 158
200	€ 3.455	€ 3.824	€ 4.199	€ 4.560	€ 4.941	€ 5.487	€ 5.866	€ 6.230	€ 6.606	€ 7.260	€ 7.426	€ 8.034	€ 8.201	€ 178
225	€ 4.234	€ 4.616	€ 4.809	€ 5.189	€ 5.590	€ 6.157	€ 6.571	€ 6.955	€ 7.352	€ 8.026	€ 8.726	€ 9.145	€ 9.557	€ 190
250	€ 4.412	€ 4.815	€ 5.025	€ 5.426	€ 5.839	€ 6.426	€ 6.928	€ 7.333	€ 7.753	€ 8.447	€ 9.195	€ 9.634	€ 10.052	€ 207
275	€ 5.327	€ 5.752	€ 5.980	€ 6.401	€ 7.044	€ 7.652	€ 8.265	€ 8.691	€ 9.238	€ 9.953	€ 10.842	€ 11.301	€ 11.919	€ 222
300	€ 5.419	€ 5.865	€ 6.113	€ 6.555	€ 7.220	€ 7.848	€ 8.512	€ 8.958	€ 9.619	€ 10.355	€ 11.266	€ 11.746	€ 12.405	€ 238
325	€ 6.067	€ 6.533	€ 6.802	€ 7.853	€ 8.594	€ 9.300	€ 10.028	€ 10.951	€ 11.227	€ 12.567	€ 13.308	€ 13.809	€ 14.548	€ 254
350	€ 6.254	€ 6.741	€ 7.030	€ 8.078	€ 8.901	€ 9.627	€ 10.379	€ 11.379	€ 11.676	€ 13.008	€ 13.812	€ 14.333	€ 15.099	€ 268
375	€ 6.465	€ 6.972	€ 7.282	€ 8.431	€ 9.160	€ 9.906	€ 10.750	€ 11.764	€ 12.082	€ 13.479	€ 14.276	€ 14.817	€ 15.659	€ 286
400	€ 6.557	€ 7.085	€ 7.415	€ 8.586	€ 9.457	€ 10.224	€ 11.090	€ 12.147	€ 12.486	€ 13.920	€ 14.784	€ 15.346	€ 16.210	€ 303
	2 Pillars						3 Pillars							

### NOTES:


1. Standard glass roof panels are made of 10 mm tempered glass.
2. Prices in the table are for wall mounted units. For freestanding units, a steel back stand should be built.
3. Hidden anchorage is used for pillar ends and included in the price.
4. Palmiye Aluminium Coating Catalogue includes the standard colours with no extra cost. For any other type/brand/color of paint, price difference and additional delivery duration shall be checked from your customer representative.

<b>Glass Options</b>	<b>Price difference/m2</b>
12mm Tempered Glass	€ 38
5+5mm Tempered Glass	€ 102
6+6mm Tempered Glass	€ 127
6mm DC Temp+16+4+4 Tempered insulated glass	€ 165
5+5 Laminated Tempered Glass	€ 70

<b>Lighting Price Calculation</b>	
Lighting Panel	€721/pcs
Remote Control   Situo 1 RTS Standard	€ 108/pcs
Remote Control   Situo 5 RTS Standard	€ 175/pcs
Remote Control   Telis 16 RTS Standard	€ 524/pcs
Lighting Module (Per every top beam)	€ 87/module

The lightning option price is calculated as;  
Lightning panel + remote control + desired quantity of modules.

# WINTER GARDEN FLAT



# WIND RESISTANCE

PROJECTION	WIDTH (cm)													
	200	250	300	350	400	450	500	550	600	650	700	750	800	
125	11	11	11	11	11	11	11	11	11	11	11	11	11	
150	11	11	11	11	11	11	11	11	11	11	11	11	11	
175	11	11	11	11	11	11	11	11	11	11	11	11	11	
200	11	11	11	11	11	11	11	11	11	11	11	11	11	
225	11	11	11	11	11	11	11	11	11	11	10	10	10	
250	11	11	11	11	10	11	11	11	11	11	10	10	10	
275	11	11	11	10	10	11	11	11	11	10	10	10	10	
300	11	11	10	10	10	11	11	11	10	10	10	10	9	
325	11	11	10	10	10	11	11	11	10	10	10	9	9	
350	11	10	10	10	9	11	11	10	10	10	9	9	9	
375	11	10	10	9	9	11	11	10	10	9	9	9	9	
400	11	10	10	9	9	11	11	10	9	9	9	9	9	

\*The values are given according to the Beaufort scale.  
 \*\*Calculated for Products with a front height of 350 cm according to Eurocode EN 1991-1-4 Terrain Category 4.  
 \*\*\* You can ask for new calculations for special designs.

# REQUIRED WATER DRAINAGE

PROJECTION	WIDTH (cm)													
	200	250	300	350	400	450	500	550	600	650	700	750	800	
125	1	1	1	1	1	1	1	1	1	1	1	1	1	
150	1	1	1	1	1	1	1	1	1	1	1	1	1	
175	1	1	1	1	1	1	1	1	1	1	1	1	1	
200	1	1	1	1	1	1	1	1	1	1	1	1	1	
225	1	1	1	1	1	1	1	1	1	1	1	1	1	
250	1	1	1	1	1	1	1	1	1	1	1	1	2	
275	1	1	1	1	1	1	1	1	1	1	1	2	2	
300	1	1	1	1	1	1	1	1	1	1	2	2	2	
325	1	1	1	1	1	1	1	1	1	2	2	2	2	
350	1	1	1	1	1	1	1	2	2	2	2	2	2	
375	1	1	1	1	1	1	2	2	2	2	2	2	2	
400	1	1	1	1	1	1	2	2	2	2	2	2	2	

Each 20m² roof area should be equipped with minimum one water outlet.

# SNOW LOAD


## WINTER GARDEN FLAT

250 kg/m2 Snow Load

Projection	Width													
	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	
	Min. Number of Mid. Beams													
1250	1	1	2	2	3	3	4	4	5	5	5	6	6	
1500														
1750														
2000	3	3	3	3	4	4	5	5	6	6	7	7	8	
2250												R.G	R.G	R.G
2500												R.G	R.G	R.G
2750	3	3	3	4	5	5	6	7	7	8	9	9	10	
3000												R.G	R.G	R.G
3250												R.G	R.G	R.G
3500	3	4	4	5	6	5	8	9	9	10	11	12	13	
3750												R.G	R.G	R.G
4000												R.G	R.G	R.G

- Standard Beam
- Reinforced Beam
- Reinforced and Steel Support
- R.G Reinforced Gutter

The values are calculated for the units with a height of 350cm and without side closures.



The number of middle beams is calculated by excluding the top beams located at the right and left ends.

4 Pillars

6 Pillars

# WINTER GARDEN FLAT

## WIDTH (cm)

PROJECTION	200	250	300	350	400	450	500	550	600	650	700	750	800
125	6.076 €	6.665 €	7.254 €	8.166 €	8.377 €	10.558 €	10.567 €	11.058 €	11.550 €	12.053 €	12.557 €	13.788 €	13.898 €
150	6.236 €	6.845 €	7.455 €	8.387 €	8.635 €	10.804 €	10.959 €	11.518 €	12.076 €	12.600 €	13.124 €	14.251 €	14.382 €
175	6.395 €	7.026 €	7.656 €	8.608 €	8.892 €	11.051 €	11.351 €	11.977 €	12.603 €	13.147 €	13.692 €	14.715 €	14.866 €
200	6.657 €	7.307 €	7.958 €	8.923 €	9.259 €	11.431 €	11.766 €	12.413 €	13.059 €	13.706 €	14.352 €	15.318 €	15.653 €
225	7.680 €	8.402 €	9.123 €	10.118 €	10.668 €	12.868 €	13.426 €	14.199 €	14.971 €	15.957 €	16.935 €	17.922 €	18.542 €
250	8.393 €	9.244 €	10.095 €	11.108 €	11.602 €	13.831 €	14.410 €	15.257 €	16.104 €	17.111 €	18.141 €	19.155 €	19.781 €
275	8.560 €	9.424 €	10.288 €	11.798 €	12.537 €	14.778 €	15.276 €	16.164 €	17.051 €	18.459 €	19.743 €	20.771 €	21.564 €
300	8.650 €	9.554 €	10.458 €	12.024 €	12.779 €	15.041 €	15.808 €	16.720 €	17.632 €	19.193 €	20.498 €	21.545 €	22.375 €
325	9.098 €	9.972 €	10.846 €	12.682 €	13.519 €	15.817 €	16.660 €	17.619 €	18.578 €	20.238 €	21.081 €	22.141 €	23.124 €
350	11.686 €	12.806 €	13.926 €	16.253 €	17.644 €	18.858 €	22.273 €	23.518 €	24.762 €	26.878 €	28.162 €	30.363 €	31.662 €
375	11.838 €	13.076 €	14.313 €	16.800 €	18.011 €	19.447 €	22.797 €	24.074 €	25.351 €	27.596 €	28.900 €	31.138 €	32.457 €
400	11.967 €	13.237 €	14.507 €	17.022 €	18.494 €	19.702 €	23.462 €	24.767 €	26.072 €	28.338 €	29.763 €	32.037 €	33.478 €
	4 Pillars							6 Pillars					

BP1-AW	57	57	57	57	57	57	57	57	57	57	57	57	57
BP2-BW	115	115	173	173	173	231	231	231	231	231	231	231	231

Glass Options	Price difference/m2
12mm Tempered Glass	€ 38
5+5mm Tempered Glass	€ 102
6+6mm Tempered Glass	€ 127
6mm DC Temp+16+4+4 Tempered insulated glass	€ 165
5+5 Laminated Tempered Glass	€ 70

Lighting Price Calculation	
Lighting Panel	€ 721/pcs
Remote Control   Situo 1 RTS Standard	€ 108/pcs
Remote Control   Situo 5 RTS Standard	€ 175/pcs
Remote Control   Telis 16 RTS Standard	€ 523/pcs
Lighting Module (Per every top beam)	€ 87/module

\*The lighting option price is calculated as ;  
Lighting panel + remote control + desired quantity of modules.

## NOTES:

- Standard glass roof panels are made of 10 mm tempered glass.
- Prices in the table are for freestanding units.

BP1-AP	BP2-AP
Covering	Wall Bracket
€ 58	€ 174
€ 58	€ 174
€ 58	€ 174
€ 58	€ 174
€ 58	€ 174
€ 58	€ 174
€ 58	€ 174
€ 58	€ 174
€ 58	€ 174
€ 58	€ 174
€ 58	€ 174
€ 58	€ 174

### OPTIONS

BP4	Perimeter LED	€ 80	1m
BP4	Perimeter RGB LED	€ 88	1m
BP4	Perimeter RGBWW LED	€ 100	1m
<b>BP5-B</b>	Extra Pillar 150x150x3mm Al.	€ 391	set
<b>BP14-P1</b>	Hidden Anchorage set for 150x150mm Al. (with drainage)	€ 109	set
<b>BP14-P2</b>	Hidden Anchorage set for 150x150mm Al. (without drainage)	€ 56	set

### NOTES:

1. For wall installations, 3 cm must be added to the projection size.
2. For ceiling installations, 16 cm must be added to the projection size.
3. Palmiye Aluminium Coating Catalogue includes the standard colours with no extra cost. For any other type/brand/color of paint, price difference and additional delivery duration shall be checked from your customer representative.
4. For wall installed products, a wall bracket is required in every 150cm.



[palmiyeglobal.com](http://palmiyeglobal.com)